



NR860-1060

RIDE-ON SCRUBBER



Robust
design



High
performance



Easy
maintenance

Why choose between price and quality when you can have both !

NR860/NR1060 - PRODUCT OVERVIEW

// Features and benefits

- The NR860P/NR1060 is a medium (NR860P) and large (NR1060) front-wheel-drive scrubber with two brushes.
- The waste storage tank in the recovery tank can effectively filter out large pieces of waste to prevent clogging of the discharge pipe.
- The entire scrubber-dryer has a modular, compact design, giving it excellent manoeuvrability and flexibility.
- The low-centre-of-gravity water tank and ingenious battery design make the whole vehicle safer to drive and easier to maintain.
- The integrated buttons are waterproof. The LCD screen and the parameters displayed, such as the speed indicator, brush insertion and removal or water level in the tanks, are easy to read and intuitive during use, as well as being fast and efficient for providing maintenance data. An automatic alarm is built in to indicate an empty solution tank and a full recovery tank.
- Customised use with adjustable water flow.
- The large colour LCD display shows equipment parameters, making it easy to diagnose faults and carry out maintenance.
- The scrubber-dryer has a start button, motor overload protection and battery undervoltage protection, all of which effectively extend the life of the motor and battery.
- The brush's patented loop structure is extremely robust, making it easy to attach and remove.
- The ECO mode reduces the power and noise level of the suction motor, making this scrubber the ideal tool for areas with low noise levels.
- The maintenance-free 36V200Ah lead-acid battery ensures continuous operation for 5 to 6 hours on a single charge.



NR860/NR1060 - PRODUCT SPECIFICATIONS



// Control panel

The integrated touch panel is waterproof, intuitive and easy to use. quick to use.



// The charging socket

The scrubber has an external charging socket for easy recharging.




// Easy-to-use tank

Equipped with a tank that can be easily opened without tools, making it easy to clean and maintain.



//An equipped steering wheel

An ergonomic steering wheel with a steering wheel ball, very comfortable to use.



// Powerful non-slip drive wheel

The front drive wheel is non-slip and high-powered, and its ramp does not tilt, making it safer.



// High-performance battery

Equipped with a powerful, safe and reliable maintenance-free lead-acid battery for long-lasting use.



// Water filling and control made easy

The tank water level display and large water injection opening make it easy to add clear water.




// Hygroscopic seal

The wear-resistant adhesive strip, designed in the shape of an arc, makes it easy to scrape off and absorb water, without leaving any deposits.


Technical specifications

1	Model		NR860	NR1060
2	Cleaning diameter (brush diameter)	(mm)	860	1060
3	Squeegee width	(mm)	2x430	2x530
4	Product tank capacity	(L)	200	200
5	Recovery tank capacity	(L)	210	210
6	Cleaning capacity (area/time)	(m ² /h)	5590	6890
7	Continuous working time	(h)	5~6	5~6
8	Rated motor power	(W)	2x550	2x550
9	Suction motor power rating	(W)	600	600
10	Rated power of drive motor	(W)	800	800
11	Travel speed	(km/h)	0~6,5	0~6,5
12	Noise level dB	(A)	68±3	68±3
13	Battery		36V (2x6V/200Ah)	36V (2x6V/200Ah)
14	Net weight (without battery)	(kg)	475	477
15	Product dimensions (LxWxH)	(mm)	1800x910x1350	1800x1150x1350


NR860/NR1060 - BUSINESS SECTOR




PVC




Tiling




Terrazzo




Epoxy




Small tiles




Lime



Marble



Resistant floor
to impacts



Depending on the situation, we recommend using a brush or a needle disc:

	Brush			Needle disc + buffer		
	Soft brush	Nylon	Hard brush	White	Red	Black
Concrete		Applicable	Applicable		Applicable	Applicable
Terrazzo		Applicable	Applicable		Applicable	Applicable
Tiling	Applicable	Applicable			Applicable	
Marble	Applicable	Applicable		Applicable	Applicable	
Plastic	Applicable			Applicable	Applicable	
Rubber	Applicable			Applicable		

Remarks :

- 1. Soft brush: for cleaning and polishing smooth surfaces.
- 2. Nylon brush: for general floor cleaning (integrated configuration)
- 3. Hard brush: for removing stubborn dirt from hard floors
- 4. Needle disc: to hold the pad and reduce wear on the soil; the pad is used at the same time as the needle device.

Depending on the different ground conditions, we need to choose different coloured pads (in general, the darker the colour, the greater the friction on the ground).

Practical applications of tampons :

- a) White pad: for general cleaning and polishing, marble and smooth floors.
- b) Red pad: for general floor cleaning
- c) Black pad: for removing stubborn stains from hard floors

Applications for the rubber scraper belt :

	Rubber	Polyurethane
Concrete	Applicable	Applicable
Terrazzo	Applicable	Applicable
Tiling	Applicable	
Marble	Applicable	
Plastic	Applicable	Applicable
Rubber	Applicable	Applicable

Note:

Polyurethane strips are highly resistant to wear and oil, making them suitable for oily floors, but not for concrete, brick or tiled floors.

NR860/NR1060 - SCENARIOS



**Food industry
and drinks**



Transport



**Warehouses
and logistics**



**Cleaning
services**



Real estate



**Search
scientist
and health**



Sale



**Hotel and
supermarkets**





NOBLELIFT

FRANCE

HEAD OFFICE

562 rue Sud Landes
Zone d'activités Sud Landes
40 300 HASTINGUES

Tel.: 05 59 50 67 63

Mail: contact@noblelift.fr

www.noblelift.fr



NOBLELIFT FRANCE